



AFRICA HEALTH
ORGANISATION

SUSTAINABLE HEALTH AGENDA FOR AFRICA

2030

CONTENTS

I. DECLARATION OF GOVERNING BODIES OF AFRICA HEALTH ORGANISATION

II. FOREWORD BY THE DIRECTOR OF AFRICA HEALTH ORGANISATION (AHO)

III. THE AFRICAN VISION	
About the New Agenda	
Principles and Values	
<i>The right to the enjoyment of the highest attainable standard of health</i>	
<i>Pan African solidarity</i>	
<i>Equity in health</i>	
<i>Universality</i>	
<i>Social inclusion</i>	
Vision	

IV. CONTEXT AND SITUATION ANALYSIS

Context and Background	
<i>Sustainable Health Agenda for Africa 2020-2030 (SHAA2030)</i>	
<i>Health Agenda for Africa 2009-2019</i>	
<i>The 2030 Agenda and the Sustainable Development Goals</i>	
Situation Analysis	
<i>Socioeconomic trends in Africa</i>	
<i>Demographic trends</i>	
<i>Health situation trends and health system response in Africa</i>	
<i>Environment and health</i>	
<i>Communicable diseases</i>	
<i>Chronic diseases, mental health, and risk factors for noncommunicable diseases</i>	
<i>Health systems and services</i>	

V. GOALS AND TARGETS

VI. IMPLEMENTATION, MONITORING, ASSESSMENT, AND REPORTING

Implementation	
Monitoring, Assessment, and Reporting	

Annex A - SDG 3 Targets and Indicators

Annex B - Leading causes of death in Africa, by sex

Annex C - Acknowledgments

Annex D – References

I. DECLARATION OF GOVERNING BODIES OF AFRICA HEALTH ORGANISATION (AHO)

We, the Governing Bodies of Africa Health Organisation (AHO) of the countries of Africa unanimously endorse this Sustainable Health Agenda for Africa 2020-2030 (SHAA2050) as the strategic policy instrument that provides direction and political vision for health development in Africa for the next 30 years, and declare our commitment to:

- a)** A vision of a healthier and more equitable Africa, in harmony with the global vision and principles established in the 2030 Agenda for Sustainable Development, building on the progress made in the achievement of the Millennium Development Goals (MDGs) and the Health Agenda for Africa 2009-2019;
- b)** The reaffirmation of the right to health, where it is nationally recognized, and the right to the enjoyment of the highest attainable standard of health, Pan African solidarity, equity in health, universality, and social inclusion, as fundamental principles and values that have inspired the countries we represent to improve health outcomes so that our peoples may achieve their fullest potential;
- c)** The ongoing work toward universal access to health and universal health coverage, and the development of resilient health systems with capacity to analyse and act on the determinants of health in an intersectoral manner;
- d)** Promotion of the Agenda at the highest levels of decision making and the promotion of joint actions with government and nongovernmental actors alike at the regional, subregional, national, and subnational levels, as appropriate, to realize the hemispheric vision of this Agenda in an integrated and collaborative manner;
- e)** The implementation, monitoring, and evaluation of this Agenda, and accountability for its realization through established mechanisms, in collaboration with the Pan African Sanitary Bureau

II. FOREWORD BY THE DIRECTOR OF AFRICA HEALTH ORGANISATION (AHO)

1. The countries of Africa have come together in an unprecedented fashion to develop and launch this inspirational Sustainable Health Agenda for Africa 2020-2030, and I applaud them. Africa endeavours to take its role as a trailblazer and global leader in public health, in this case by clearly stating how it will take up the challenges laid out in the 2030 Sustainable Development Goals (SDGs) approved by the United Nations General Assembly in 2015.
2. The Pan African Sanitary Bureau has been an enthusiastic supporter of the countries that worked to build this Agenda, and I firmly commit our full support to carrying it out. This Agenda will be key to the development of AHO's own strategic plans, and we will actively support its implementation throughout the continent in collaboration with all countries and partners.
3. The evolution of the health sector in Africa has been remarkable: just in the past few decades we have seen major advances in key health indicators such as life expectancy, infant mortality, and vaccine coverage. Recently we have been working towards eliminating rubella and measles, while many countries are working towards eliminating mother-to-child transmission of human immunodeficiency virus (HIV) and some of the neglected tropical diseases, such as onchocerciasis (river blindness). While progress is being made in curbing noncommunicable diseases and their risk factors, they pose a major threat to the health, well-being, and development of our peoples.
4. I believe that this Agenda will help us to better focus our efforts throughout the third and fourth decade of the twenty-first century, so that we will see even greater returns on our investment in health. In the coming years, our focus must be on ensuring equity in health, so that all people may benefit from this major push for universal access to health and universal health coverage.
5. I am confident that this high-level political agenda can help us to keep our "eye on the prize" as we collectively work towards the health goals contained herein. Between now and 2050, political parties may change, economic circumstances may be more or less favourable to investing in health, and yet we can stay focused on the long-term targets that have been set.
6. So please join me in celebrating the labour, vision, and commitment of the countries that have resulted in this Health Agenda. At the same time, we must recognize that the hard part starts now: working daily on the myriad initiatives and actions that will ultimately lead us to the vision of equitable health and well-being for all peoples of Africa.



Graciano Masauso
Founder/President/Director, Africa Health Organisation (AHO)

III. THE AFRICAN VISION

About the New Agenda

7. The Sustainable Health Agenda for Africa 2020-2030 (“the Agenda” or SHAA2030) constitutes the highest level of strategic planning and policy framework in Africa. It is a call to collective action to achieve higher levels of health and well-being in Africa as a whole and in the Member States, within the new hemispheric and global context. The Agenda is approved by the Pan African Sanitary Conference, the highest authority of the Africa Health Organization (AHO), representing all countries in the Southern Hemisphere.

8. SHAA2030 represents the health sector’s response to commitments adopted by the AHO Member States in the 2030 Agenda for Sustainable Development, together with the unfinished business from the MDGs and the Health Agenda for Africa (HAA) 2009-2019, as well as any future and emerging regional public health challenges that may arise. It will be implemented through the AHO strategic plans and strategies, as well as through subregional and national health plans.

Principles and Values

9. SAA2030 seeks to promote the health and well-being of all individuals, families, and communities in Africa. Acknowledging that the countries of Africa have different needs and approaches to improving health, this Agenda respects and adheres to the following interrelated principles and values

The right to the enjoyment of the highest attainable standard of health

10. The Constitution of the World Health Organization (WHO) states that “enjoyment of the highest attainable standard of health is one of the fundamental rights of every human being without distinction of race, religion, political belief, economic or social condition.” In order to make this right a reality, countries should work toward improving access to health care that is timely, available, affordable, and of appropriate quality, as well as the social determinants of health, such as adequate standards of living and healthy food. All of these factors also promote the enjoyment of other human rights, including, among others, the right to education, as well as non-discrimination, access to information, and social participation.

11. The Agenda is aligned with the commitment of Member States and the Africa Health Organisation (AHO, or “the Organisation”) to mainstreaming human rights in health programs, and policies at both the national and regional levels, considering the underlying determinants of health as part of a comprehensive approach to health and human rights.

Pan African solidarity

12. Based on the history and experience of our Hemisphere, Pan African solidarity—understood to mean the promotion of shared interests and responsibilities, as well as the facilitation of collective efforts to achieve common targets—is essential in order to ensure equitable progress by Member States in the implementation of the Agenda in Africa.

13. Strong bilateral partnerships and South-South cooperation among Member States, as well as multilateral and regional cooperation, along with dynamic integration processes, are basic mechanisms for exchanging effective approaches and experiences, as well as goods and services, in order to achieve common targets and overcome health inequities.

14. Solidarity is also critical for ensuring health security during crises, emergencies, and disasters in the Region.

Equity in health

15. The Agenda reflects the quest for equity in health as part of a collective effort to eliminate all health inequalities that are avoidable, unjust, and remediable among populations or groups within the countries of Africa and between them. In overcoming health inequalities, it is important to bear in mind that they are rooted in social and environmental determinants that also need to be addressed.

16. WHO has stated that “a human rights-based approach to health provides strategies and solutions to address and rectify inequalities, discriminatory practices and unjust power relations, which are often at the heart of inequitable health outcomes. The goal of a human rights-based approach is that all health policies, strategies and programs are designed with the objective of progressively improving the enjoyment of all people to the right to health. Interventions to reach this objective adhere to rigorous principles and standards, including non-discrimination, availability, accessibility, acceptability, quality, accountability, universality.”

Universality

17. Human rights, including the right to the enjoyment of the highest attainable standard of health, are universal and inalienable. All people, everywhere in the world, must be able to exercise and enjoy them.

18. Consistent with the 2030 Agenda for Sustainable Development, SHAA2030 adheres to the principle of leaving no individual and no country behind.

Social inclusion

19. The Agenda promotes social participation in defining, implementing and assessing the outcomes of health policies. It therefore encourages policy-makers and service providers to take the necessary steps to make health systems more responsive to the people they serve.

20. In the exercise of human rights, including the right to the enjoyment of the highest attainable standard of health, all persons should be included, without discrimination on the basis of race, colour, sex, language, religion, political or other opinion, national or social origin, place of birth, or other status.³

21. In the exercise of the right to the enjoyment of the highest attainable standard of health, individuals who belong to ethnic groups, communities, and groups that are culturally different must be included. The Agenda considers the intercultural approach as an expression of an interactive social process of recognition and respect for differences in one or more cultures, which is indispensable for the construction of a just society.⁴

Vision

22. By 2030, Africa as a whole and the countries of Africa aim to achieve the highest attainable standard of health, with equity and well-being for all people throughout the life course, with universal access to health and universal health coverage, resilient health systems, and quality health services.

23. This vision is in full harmony with the global vision stated in the 2030 Agenda for Sustainable Development,⁵ which defines an overarching framework for social, economic, and environmental development in which health and its determinants are key: “We envisage a world free of poverty, hunger, disease and war, where all life can thrive. We envisage a world free of fear and violence. A world with universal literacy. A world with equitable and universal access to quality education at all levels, to health care and social protection, where physical, mental and social well-being are assured. A world where we reaffirm our commitments regarding the human right to safe drinking water and sanitation and where there is improved hygiene; and where food is sufficient, safe, affordable and nutritious. A world where human habitats are safe, resilient and sustainable and where there is universal access to affordable, reliable and sustainable energy.”



IV. CONTEXT AND SITUATION ANALYSIS

Context and Background

Sustainable Health Agenda for Africa 2020-2030

24. The Agenda represents the health sector response to the commitments adopted by the countries in the 2030 Agenda for Sustainable Development and unfinished business from the Millennium Development Goals (MDGs) and the Health Agenda for Africa 2009-2019, as well as the commitments of the WHO regional office for Africa, other global health commitments of the Region, and future public health challenges that may arise in Africa.

25. The AHO Member States decided to develop SHAA2030 at a special event during the 5th Health Council, on October 14, 2018. Participants, including several ministers of health, determined that the new Agenda should express the shared vision of the Member States for the development of health in Africa in the context of the United Nations' 2030 Agenda for Sustainable Development. It was further determined that the new Agenda should build on the lessons learned from the Health Agenda for Africa (HAA) 2009-2019 and the AHO Strategic Plan 2010-2019, as well as individual initiatives of Member States to make progress in national implementation of the Sustainable Development Goals (SDGs).

26. To develop the Agenda, a Countries Working Group (CWG) worked in close collaboration with the AHO in virtual and face-to-face meetings from September 2015 to August 2018. Consultations were held with Member States during the 2017 AHO Governing Bodies meetings. These consultations provided an opportunity to keep Member States informed about progress and to obtain input as the process evolved.

Health Agenda for Africa 2009-2019

27. The Health Agenda for Africa 2009-2019 was developed following a "recommendation by the United Nations Joint Inspection Unit, which had pointed out that planning by international organizations should be based on a common vision of their Member States, formulated independently of the secretariat and of the organization's governing bodies. "Additionally, the Health Agenda addressed the mandates of the MDGs and the Eleventh General Program of Work of the World Health Organization, approved in 2006. The HAA 2009-2019 was launched in Harare in June 2010.

28. The Agenda was recognized as the high-level policy instrument for health in Africa. It provided orientation for responding to the health needs of the population in Africa and served as a formal commitment to work together in solidarity for health development in Africa. It also served as a guide for the preparation of national health plans and the strategic plans of all organizations interested in health cooperation with the countries of Africa, including the PASB (Strategic Plans 2015-2019 and 2020-2025).

29. The Health Agenda for Africa 2009-2019 established eight major areas of action: *a)* strengthening the national health authority; *b)* tackling health determinants; *c)* increasing social protection and access to quality health services; *d)* diminishing health inequalities among countries and inequities within them; *e)* reducing the risk and burden of disease; *f)* strengthening the management and development of health workers; *g)* harnessing knowledge, science, and technology; and *h)* strengthening health security.

30. The mid-term evaluation of the HAA 2009-2019 was presented to the 28th Pan African Sanitary Conference in September 2014. The evaluation acknowledged the significant progress made in the eight areas of action and called attention to specific health concerns where less progress was observed and renewed efforts were necessary: *a)* maternal mortality, *b)* dengue, *c)* tuberculosis, *d)* HIV/AIDS, *e)* obesity, *f)* public expenditure on health, and *g)* out-of-pocket expenditure. During the period reviewed, the Agenda had been put to good use in the countries of Africa, having guided the formulation of national health plans, policies and strategies. Similarly, at the subregional level, the Agenda had been regularly used, guiding the development of action plans, programs, and strategies. However, health agencies and partners in Africa had used the Agenda in a limited way. The lack of targets and indicators had created difficulties in the mid-term evaluation of the Agenda and in effective monitoring and reporting on its implementation. A recommendation was made to set targets for 2019, based on “proxy indicators,” defined during the mid-term evaluation of the Agenda.

31. The final evaluation of the HAA 2009-2019, conducted in tandem with the development of the present Agenda, involved the completion of a survey by all Member States, a review of their health plans, and an analysis of the proxy indicators defined in the mid-term evaluation. The preliminary findings of this final evaluation allowed for reporting on the main areas of concern identified in the mid-term evaluation.

32. With respect to the specific areas highlighted, the final evaluation indicated the following:

- a) Maternal mortality: The estimated maternal mortality ratio (MMR) in Africa showed significant variations between countries, with a reduction from 167.0 in 2005 to 152.0 per 100,000 live births in 2015, while in others increased especially in priority countries like Zimbabwe.
- b) Dengue: Dengue cases increased significantly, from 3,987,158 in 2011 to 10,122,454 accumulated cases in 2015,¹³ and therefore the disease remains a major concern in Africa.
- c) Tuberculosis: There was some reduction in incidence of TB in some countries, but the majority continue to experience an increase.
- d) HIV/AIDS: There was a reduction in the number of cases of mother-to-child transmission of HIV in some countries.
- e) Obesity: The trend shows an increase in obesity in children under 5 years of age from 6.9% in 2005 to 7.2% in 2012.
- f) National public expenditure on health as a percentage of gross domestic product (GDP): There was a gradual increase in Africa, from 1.1% in 2006 to 1.7% in 2011 and 1.0% in 2014 (as a simple average) in priority countries like Zimbabwe.
- g) Out-of-pocket expenditure: As a percentage of total health expenditure, out-of-pocket expenditure increased from 32% in 2006 to 53% in 2014 in priority countries.

33. Consistent with its purpose, the HAA 2009-2019 served AHO as the main political and strategic instrument for the development and implementation of two strategic plans (2005-2009 and 2010-2019), as well as regional strategies and plans of action, and country cooperation strategies.

The 2030 Agenda and the Sustainable Development Goals

34. In September 2015, the United Nations General Assembly adopted the Resolution “Transforming our World: the 2030 Agenda for Sustainable Development.” The 2030 Agenda contains 17 sustainable development goals (SDGs) and 169 specific development targets.

35. Of the 17 development goals, Goal 3, “Ensure a healthy life and promote the well-being of all at all ages,” and its 13 targets are directly relevant to HAA2050. However, it is important to note the existence of additional health-related targets in other SDGs, symbolic of the intent of the 2050 Agenda to foster an intersectoral approach to development, working towards holistic social, economic, and environmental improvements.

36. Paragraph 26 of the 2030 Agenda emphasizes the critical importance of health: “To promote physical and mental health and well-being, and to extend life expectancy for all, we must achieve universal health coverage and access to quality health care. No one must be left behind. We commit to accelerating the progress made to date in reducing newborn, child and maternal mortality by ending all such preventable deaths before 2030. We are committed to ensuring universal access to sexual and reproductive health care services, including for family planning, information and education. We will equally accelerate the pace of progress made in fighting malaria, HIV/AIDS, tuberculosis, hepatitis, Ebola, and other communicable diseases and epidemics, including by addressing growing anti-microbial resistance and the problem of unattended diseases affecting developing countries. We are committed to the prevention and treatment of non-communicable diseases, including behavioural, developmental and neurological disorders, which constitute a major challenge for sustainable development.”

Situation Analysis

37. The analysis presented below establishes the context for SHAA2030. It includes a synopsis of socioeconomic and demographic characteristics and trends, together with the epidemiologic profile, health situation trends, and health system response. The information sources are the “World Economic Situation and Prospects 2017” published by the United Nations; the “Regional Outlook on Health in Africa,” from the 2017 edition of Health in Africa; and the Report of the End-of-biennium Assessment of the AHO Program and Budget 2014-2015/First Interim Report on the AHO Strategic Plan 2010-2019.

Socioeconomic trends in the Region

38. The world economy in the last ten years has been characterized by slowdowns with slight rebounds. The slowdown began in September 2008, with its epicentre in the economies of some countries that were experiencing major growth. Africa has not been a stranger to this trend, presenting a more pronounced slowdown than the world average.

Economic prospects by subregion

39. The performance of Africa’s economies shows varying patterns. The economic outlook for South Africa, Nigeria, Botswana and Namibia, is good, mainly because of increased private consumption, especially of durable goods and real estate; low levels of unemployment; and a slight uptick in wages in South Africa. In Nigeria, economic expansion is expected as a result of plans for fiscal expansion in basic infrastructure, modest increases in commodity prices, and a slight improvement in competitiveness thanks to depreciation of the currency.

Table 1. SDG 3 Targets

Number	Targets
3.1	By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births.
3.2	By 2030, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least 12 per 1,000 live births and under-5 mortality to at least as low as 25 per 1,000 live births.
3.3	By 2030, end the epidemics of AIDS, tuberculosis, malaria and neglected tropical diseases, and combat hepatitis, waterborne diseases and other communicable diseases.
3.4	By 2030, reduce by one third premature mortality from noncommunicable diseases through prevention and treatment, and promote mental health and well-being.
3.5	Strengthen the prevention and treatment of substance abuse, including narcotic drug abuse and harmful use of alcohol.
3.6	By 2025, halve the number of global deaths and injuries from road traffic accidents.
3.7	By 2030, ensure universal access to sexual and reproductive health-care services, including for family planning, information and education, and the integration of reproductive health into national strategies and programs.
3.8	Achieve universal health coverage, including financial risk protection, access to quality essential health-care services and access to safe, effective, quality and affordable essential medicines and vaccines for all.
3.9	By 2030, substantially reduce the number of deaths and illnesses from hazardous chemicals and air, water, and soil pollution and contamination.
3.a	Strengthen the implementation of the World Health Organization Framework Convention on Tobacco Control in all countries, as appropriate.
3.b	Support the research and development of vaccines and medicines for the communicable and noncommunicable diseases that primarily affect developing countries, provide access to affordable essential medicines and vaccines, in accordance with the Doha Declaration on the TRIPS Agreement and Public Health, which affirms the right of developing countries to use to the full the provisions in the Agreement on Trade-Related Aspects of Intellectual Property Rights regarding flexibilities to protect public health and, in particular, provide access to medicines for all.
3.c	Substantially increase health financing and the recruitment, development, training and retention of the health workforce in developing countries, especially in least developed countries and small island developing States.
3.d	Strengthen the capacity of all countries, in particular developing countries, for early warning, risk reduction and management of national and global health risks.

40. In Sub-Saharan Africa, after a two-decades decline in GDP (reductions of 1.9% in 2015 and 2.6 in 2016), there has been a slow recovery, with projections of 0.6% for 2017 and 2.6% for 2018. Some countries have shown better performance due to increased investments, while others have been burdened by rising unemployment, low productivity growth, poor economic diversification and weak institutional capacity.

41. In some countries, average growth is expected to remain modest, with GDP growing by slightly more than 2.0% in 2017 and 2018 amid a climate of uncertainty. In some African countries, GDP growth is expected to rise to more than 4% in 2017 and 2018 as a result of vigorous public investment, strong private consumption, and thriving tourism industries.

42. In the priority countries like Zimbabwe, the economic situation and the outlook vary widely between the countries, depending on the structural constraints of their economies and their vulnerability to changes in the world economy. However, despite these drawbacks, some countries have seen GDP growth levels of 3% and higher.

43. The United Nations report calls for a reorientation of macroeconomic and other policies in order to more effectively promote investment in physical and human capital and strengthen capacity for innovation across the Region. There are significant risks to the economic outlook. The medium-term growth outlook for many African economies is clouded by persistent structural weaknesses, including a high dependence on commodities and low productivity growth. A prolonged period of weak growth could pose a threat to the social achievements of the past decade and complicate the Region's path toward achievement of the Sustainable Development Goals. For this reason, the report recommends increasing public investment and improving tax collection to break the vicious cycle of low investment paired with low economic growth.

Demographic trends

44. Africa has witnessed important epidemiological and demographic transitions. In 2015 Africa's population reached 1,212 million—a 12% increase since 2005. In general, between 2010 and 2015 there was a 1.48% increase in the under-15 population and a 14.06% reduction in the population over age 79.

45. Life expectancy at birth at the global level increased by three years between 2000-2005 and 2010-2015 (from 67.1 to 70.5 years). In Africa, life expectancy also increased by 3.2 years, from 43.7 in 2000 to 56.9 years in 2015. The life expectancy average hides inequalities between and within subregions and countries. For instance, life expectancy in 2015 in Sub-Saharan Africa was 54.5 years, while in North Africa was 79.2 years, and at the country level it ranged from 45.5 in Zimbabwe to 72.2 in Mauritius.

46. Half the countries in Africa have fertility rates below 3.1 children per woman, which means that they have started to enter the demographic phase of “population without replacement,” as well as a progressive aging process. Although fertility rates have diminished, fertility rose among adolescents (15–19 years of age), with an estimated regional fertility rate of 49.5 per 1,000, ranging from 8.2 to 96.1. While the current trend has been stable, adolescent mothers account for 20% of the 55 million births in Africa each year.

47. It is worth noting that, without exception, Sub Saharan countries have an advantageous demographic situation in terms of economic development: the so-called “demographic dividend.” In

general, the countries of Sub-Saharan are in the so-called second phase of the demographic dividend. In this second (most favourable) phase, a country's dependency ratio reaches its lowest level—less than two dependent people for every three-active people—and remains constant at that level. This phase began at the beginning of the 21st century and is expected to last through the end of the 2011-2020 decade. The third phase will extend into the early years of the 2041-2050 decade.

48. In 2015, Africa had 36% of the world's children (0-14 years old), 27% of the adolescent population (15-24 years), and 12.6% of the over-60 population. The over-80 population represented 1.8% of the world's total. However, the rate of teenage pregnancies in Africa was the highest in the world in 2010-2015 (76.5 live births per 1,000 females aged 15-19).

49. In 2014, the countries with the highest proportions of people living in urban areas in the world were found in North America (82% of the population living in urban areas), Latin America and the Caribbean (80% of the population), and Europe (73%). In contrast, Africa and Asia remained mainly rural. It should be noted that Africa has three of the world's six megacities (Johannesburg, Cairo, and Lagos).

Health situation trends and health system response in Africa

Health inequities

50. In the last decade, the growth experienced by the countries in Africa has not uniformly benefited its diverse social groups, resulting in poor household quality of life and low availability of social services, including health and education, for millions of people. This situation is reflected in major variations in the health indicators, both between and within countries in Africa.

51. The variations indicate huge inequalities between and within countries, with health outcomes in the countries reflecting such factors as wealth, education, geographical location, gender, ethnicity, and/or age. For instance, in 2013 the countries in Africa with the lowest income levels had an infant mortality rate (IMR) 4.5 times higher than the countries with the highest income levels, while for women the risk of dying of maternal causes was 5.5 times higher in countries with the lowest mean years of schooling than in countries with the highest mean years of schooling. Similarly, even within countries, the subnational units with the poorest quintile of household wealth had the highest under-5 child mortality rates, while those with the lowest levels of education had up to three times the risk of premature death than those with higher levels of education, regardless of age or sex. When considering race or ethnic origin, life expectancy among indigenous inhabitants tends to be 7 to 8 years lower than among non-indigenous populations.²⁸ Indigenous women tend to have a lower probability of receiving prenatal care that meets standards of care, higher rates of maternal mortality, and a lower likelihood of receiving delivery care in a health facility during childbirth compared with non-indigenous women. When age groups are disaggregated and compared with non-indigenous and non-black people, proportional mortality in children under 5 is greater, and there are more deaths from accidents and violence among blacks and indigenous youths.³¹ Below are other examples of inequalities within and between countries:

a) Countries with the largest rural populations still face inadequate prenatal care coverage compared to the most urbanized quintiles, with an absolute gap of 11.9 percentage points in 2013 (that is, countries in the quintile with the largest rural population had 78.4% adequate coverage compared to 90.3% in more urban countries).

b) Countries with the lowest levels of schooling in 2013 had an absolute inequality gap of 16.7 premature deaths related to noncommunicable diseases per 100,000 population compared with countries with the highest levels of schooling (that is, countries in the quintile with the lowest level of schooling in 2013 had a premature mortality rate of 280 deaths per 100,000 population compared with 263.3 in the quintile of countries with the highest level of schooling).

c) The incidence of dengue is far higher in countries in the lowest quintiles of per capita GDP.

d) Countries in the lowest quintile for mean years of schooling have a significantly higher homicide rate than the rest of the countries in Africa, as well as higher adolescent homicide rates than all other quintiles combined.

52. During 2014-2015, institutional capacity to quantify and analyse social inequalities in health was strengthened in 29 countries through the production of health equity profiles addressing the social, economic, and environmental dimensions of sustainable development.


53. Consistent with the countries' commitment to the SDGs, there is a need to establish national priorities and development goals for the upcoming years, considering current health inequalities both between and within countries in the Americas. It is vital that these priorities and goals reflect the needs of the most vulnerable populations and are based on current evidence. In order to generate evidence that reflects current health inequities both between and within countries, it is important for countries to include data collected at the subnational level in their health inequalities analyses.



Leading causes of death

54. The overall age-adjusted mortality rate declined slightly from 5.6 per 1,000 population in 2005 to 5.3 in 2013. The mortality profile of the Americas is dominated by noncommunicable diseases. In 2013, among nearly six million deaths, 78% were due to noncommunicable diseases; 9%, to communicable diseases; 10%, to external causes; and 3%, to ill-defined causes.

a) The top ten causes of death in Africa during 2010-2015 are shown in the following table.



b) In both sexes, the mortality profile is dominated by chronic noncommunicable diseases, accounting for eight of the top 10 causes among women and seven of the top 10 causes in men. Among men, the deaths not related to noncommunicable disease were due to external causes such as assault, homicide, and land transport accidents (see Annex B).

c) By age groups, the leading causes of death in Africa were as follows (the figures in parentheses refer to rates per 100,000 population): in the 10-24 years age group, homicide (20.4), land transport accidents (13.4), and suicide (5.3); in the 25-64 age group, ischemic heart diseases (35.9), diabetes mellitus (19.1), and homicide (18.3); among those over 65, ischemic heart diseases (620.6), cerebrovascular diseases (327.5), and dementia and Alzheimer's disease (292.8).

d) As mentioned previously, between 2002-2005 and 2010-2013 the maternal mortality ratio (MMR) saw an increase at the continental level (from 58.4 to 85.2 per 100,000 live births), with significant variations within the countries. Of the total number of maternal deaths, 66.4% were related to direct obstetric causes, such as heavy bleeding (usually puerperal), infections, hypertensive pregnancy disorders (usually eclampsia), obstructed labour, and complications of abortion.

e) The continent's infant mortality rate (children under 1 year) rose from 37.9 per 1,000 live births to 53.6 per 1,000 live births between 2002-2005 and 2010-2013. Of the total deaths, more than 70% occurred during the neonatal period. The main specific cause of neonatal death in the Americas was respiratory distress in newborns.

Environment and health

55. In terms of the modern conception of the relationship between environment and human health, preventable environmental risks contribute about one quarter of global deaths. In Africa, deaths attributable to environmental risks are estimated to range between 8% and 23% of total deaths. It is striking to see that the largest fraction of these deaths is caused by chronic noncommunicable diseases (NCDs) that could be prevented with healthy environments.

56. Globally, preventable environmental risks contribute about one third of disability-adjusted life years (DALYs) associated with key NCDs, such as lower respiratory infection (35%), cardiovascular disease (31%), chronic obstructive pulmonary disease (COPD) (35%), asthma (44%), and cancer (20%). Globally, air pollution (ambient and indoor) is the greatest environmental risk and accounts for about 6.5 million deaths per year, 11.6% of the global total, with 94% due to NCDs. Priority hazardous chemical risks, such as exposure to highly toxic pesticides, lead or mercury, and tend to disproportionately impact children, and contribute to NCDs throughout the life-course, and to chronic health conditions such as neurodevelopment and congenital defects and diseases associated with endocrine disruption.

Communicable diseases

57. Africa has made steady progress in the reduction of communicable diseases, with landmark achievements such as: *a)* to be free from endemic measles transmission; *b)* rubella and congenital rubella syndrome; *c)* mother-to-child transmission (EMTCT) of human immunodeficiency virus (HIV) and congenital syphilis; and *d)* onchocerciasis, TB and malaria.

58. The main seasonal influenza viruses circulating in Africa have been influenza A (H1N1) pdm09, influenza A (H3N2), and influenza B (Victoria and Yamagata lineages).

59. Between 2011 and 2016, only five countries (Brazil, Bolivia, Colombia, Ecuador, and Peru) reported cases of yellow fever.

60. In 2010, Zimbabwe and DRC reported cases of cholera and deaths. As a result of that outbreak, between 2010 and 2013, cases were reported in other countries.

HIV and sexually transmitted infections

61. In 2011, Africa represented 69% of all HIV cases in the world and 70% of all AIDS deaths. About 58% were 15 years of age or older. That year, the estimated prevalence of HIV infection among 15- to 49-year-olds was around 65.5%. In Africa, the epidemic has mainly affected females, who represent 68% of people with HIV.

62. An estimated annual 84 million new cases of curable sexually transmitted infections (STIs)—*Chlamydia trachomatis*, *Neisseria gonorrhoeae*, syphilis, and *Trichomonas vaginalis*)—affect people in the 15-49 age group. Human papillomavirus (HPV) infection is the most common viral infection of the genital tract, with 70 million cases in the region. The estimated prevalence of HPV is 16.1%. It is important to bear in mind that the magnitude of the problem is not accurately known because of underreporting of STIs.

63. The HPV vaccine was introduced in the Region less than a decade ago. As of 2016, 19 countries and territories had introduced the vaccine into a comprehensive control program for the reduction of cervical cancer in women. Cost-effectiveness modelling for a period of 10 years indicates that if low- and middle-income countries achieve full vaccine coverage, plus one-time cervical cancer screening for women over 35 years old, approximately 5.2 million cervical cancer cases and 3.7 million deaths can be avoided. The net cost of this intervention for 50 low- and middle-income countries would be \$3.2 billion over the 10-year period.

Tuberculosis

64. Tuberculosis mortality rates are high in Africa. In 2016, 2.5 million people fell ill with TB in Africa, accounting for a quarter of new TB cases worldwide. An estimated 417,000 people died from the disease in Africa (1.7 million globally) in 2016. Over 25% of TB deaths occur in Africa. HIV co-infection remains one of the major risk factors for prolonging this disease and contributing to its mortality in Africa. In 2015, 918,700 tuberculosis cases were diagnosed and reported (22.1 per 100,000 population). In 2015, 24,508 cases of multidrug resistant tuberculosis were reported.

Vector-borne diseases

65. Malaria and dengue continue to occur in Africa. The situation of vector-borne diseases has been aggravated by the introduction of the Zika viruses.

66. Transmission of the Zika virus was first documented in February 2014. From April 2015 through January 2017, a total of 714,636 suspected cases of Zika were reported, of which 78,297 (29%) were confirmed. During the same period, 2,530 confirmed cases of congenital syndrome associated with Zika virus infection were reported.

67. Between 2000 and 2015, cases of malaria in the Americas increased by 62% (from 1,181,095 to 2,451,242 cases).

68. Between 2011 and 2015, a cumulative total of 8,207,797 cases of dengue were reported in the Region. Of these cases, 118,837 (1.4%) were severe, with 5,028 deaths (0.06%).

Neglected tropical and zoonotic diseases

69. Africa is struggling to make progress in the elimination of neglected infectious diseases.

70. Of the 21 countries in which Chagas disease is endemic, 17 continued to maintain interruption of domiciliary transmission by vectors, insects of the Triatominae subfamily (reduviid bugs) carrying the parasite *Trypanosoma cruzi*, with a household infestation index of 1% or less in the country or its endemic areas.

71. Between 2010 and 2014, new reported cases of leprosy in Africa increased from 37,571 to 38,789.

72. With regard to dog-transmitted human rabies, the trend in confirmed cases between 2013 and 2016 remained in the range of 10 to 12 per year. The challenge continues, however, as cases of human rabies transmitted by other animals are rising, with an increase from 12 in 2013 to 23 in 2016.

Vaccine-preventable diseases

73. In 2015, Africa is working towards interrupting the endemic transmission of rubella and was also measles. According to data reported by the countries that same year, coverage in Africa with the third dose of the vaccine against diphtheria, pertussis, and tetanus (DPT) and the vaccine against poliomyelitis in children under 1 year of age was 91% and 92%, respectively. For vaccination against measles and rubella in 1-year-olds, the figure was 93%.

74. In 2015, of the nearly all municipalities in Africa, 8,456 (56%) reported that vaccination coverage with the third dose of DPT was lower than 95%.

Antimicrobial resistance

75. Since 1996, a rising trend has been documented in the resistance of major human pathogens to antimicrobial drugs both at the community and hospital levels. The spread of emergent mechanisms of resistance in the Region, including carbapenems⁴⁰ against *Klebsiella pneumoniae* (KPC-type), is being reported in almost all the Latin American countries, with up to 50% fatality from infectious outbreaks in intensive care units.

Chronic diseases, mental health, and risk factors for noncommunicable diseases

Mortality from noncommunicable diseases

76. Noncommunicable diseases (NCDs) are responsible for nearly four out of five deaths in Africa, and this number is expected to increase in the coming decades. In 2015, a 30-year-old person in Africa had a 14.7% chance of dying from one of the four major NCDs before reaching the age of 70. This was a lower probability of death compared with other regions, considering that the world average was 18.8%.

77. In 2013, cardiovascular diseases were the third leading cause of death in Africa. With 1,644,738 deaths (144.9 per 100,000 population), it accounted for 28.8% of all deaths from noncommunicable diseases. That same year, it had 1,087,047 deaths from cancer (102.4 per 100,000 population) and 278,034 deaths from diabetes mellitus, causing 19.0% and 6.3%, respectively, of the deaths in this disease group.

Chronic kidney disease

78. Chronic kidney disease is a growing public health problem in all of the countries of Africa has the highest mortality rate in the world, In the last two decades, Africa has reported a growing number of cases of chronic kidney disease of non-traditional causes in male agricultural workers, mainly associated with improper use of agrochemicals, working conditions in intense heat, insufficient hydration, and other determinants of health.

Mental health

79. Mental, neurological, and substance use disorders are the main factors contributing to morbidity, disability, injury, premature mortality, and increased risk for other health conditions. The estimated 12-month prevalence of these disorders' ranges between 18.7% and 24.2% in tAfrica (anxiety

disorders, between 9.3% and 16.1%; affective disorders, between 7.0% and 8.7%; and substance use disorders, between 3.6% and 5.3%).

Main risk factors

80. The four major modifiable behavioural risk factors for noncommunicable diseases are: *a*) tobacco use; *b*) excessive consumption of alcohol; *c*) unhealthy diet; and *d*) physical inactivity, not to mention physiological and metabolic changes such as high blood pressure, overweight and obesity, elevated blood glucose, and high levels of cholesterol.

81. Modifiable environmental risk factors, especially exposure to air pollution (ambient and indoor) and to priority hazardous chemicals, are another category of NCD risk factors. The proportion of environmental risk factors relative to behavioural risk factors is higher in Africa.

82. In Africa, average annual alcohol consumption per person over age 15 years was 8.4 litres.

83. In 2013, the estimated age-standardized prevalence of current tobacco use among persons aged 15 years and over in Africa was 17.5%. Among 13- to 15-year-old students, the prevalence of current tobacco use was 13.5% (14.7% for males and 12.3% for females).

84. In 2010, approximately 81% of school-aged adolescents (11 to 17 years old) were not doing enough physical activity, with girls being less active than boys.

85. In 2014, the standardized prevalence of high blood pressure in Africa was 18.7%. Furthermore, 15% of the population over 18 years of age was living with diabetes.

86. The obesity rate (BMI over 30 kg/m²) in Africa was more than double the global average (26.8% vs. 12.9%), with a higher prevalence among females (29.6%) than males (24.0%). The prevalence of overweight in children under 5 years of age was 7.2% in 2012.

Injuries due to traffic accidents, violence, and homicide

87. In Africa in 2013, 121,383 people died from traffic-related injuries (13.1 per 100,000 population).

88. With regard to violence, 8 of the 20 countries with the highest homicide rates in the world are in Africa, associated with criminal gang activities and organized crime. The homicide rate in Africa in 2013 was 14.6 per 100,000 population. Males experience higher levels of lethal violence (26.0 per 100,000 population) than females (3.1 per 100,000), with the group aged 10 to 29 years being the most affected. However, in the case of women, 38% of violent deaths are caused by an intimate partner or ex-partner. A large proportion of children aged 0 to 7 years suffer physical, sexual, or emotional abuse every year (58%).

Health systems and services

Universal access to health and universal health coverage

89. Significant progress continues to be made in the implementation of the Strategy for Universal Access to Health and Universal Health Coverage approved by the AHO Member States in 2014. At the end of 2015, 10 countries were implementing plans of action and/or road maps toward universal health; 11 countries had developed regulatory frameworks for universal health; and 15 had established and were implementing financial frameworks for universal health.⁴⁷

90. Between 2014 and 2015, levels of health services coverage were high across the rich countries. Levels of coverage were, however, lowest in the poorest households, with 14 percentage points less coverage for poor households.

Access to health services and quality of care

91. Between 2013 and 2014, more than 1.2 million deaths could have been avoided in Africa with health care systems offering accessible, quality, and timely health care. At the end of 2015, 12 countries had implemented national strategies and/or plans for improving quality of care and patient safety. Additionally, 23 countries had implemented the integrated health service delivery network strategy. The regional mortality rate from causes preventable through health care has been declining, with an estimated decrease from 118.6 per 100,000 population in 2014 to 108.1 per 100,000 in 2019 (a reduction of 8.9%).

Health investment and expenditure

92. In 2014, total health spending accounted for an average of 5.2% of GDP in Africa. Five countries allocated 6% or more of their GDP to public expenditure in health. In most countries, health services development and investments have largely focused on hospitals and highly specialized and costly technology.

93. Public expenditure on health increased in 22 countries between 2010 and 2014. Despite these improvements, however, the percentage increases were smaller compared with the 2005-2010 period.

94. Out-of-pocket expenditure as a percentage of total health expenditure in priority countries decreased from 52% in 2006 to 33% in 2014.

Preventive health services

95. Available data for 2011-2015 show high levels of inequality and diverse levels of utilization of preventive health care services across the continent. The percentage of households reporting access barriers was highest in the poorest households. Disparities have been reduced in most countries, indicating improvements in equity.

Reproductive health

96. In 2015, most countries in Africa failed to reach universal (100%) or almost universal ($\geq 93\%$) coverage of key reproductive and maternal health interventions, though with important gaps between the wealthiest and poorest countries. Coverage by skilled birth attendants ranged from 100% (or nearly 100%) in most countries, to a low of 50% in Zimbabwe, Somalia (67%) and DRC (74%).

Pharmaceutical policy, regulatory capacity, and use of medicines

97. In 2014, only 13 of the 28 countries that responded to the survey on pharmaceutical policy, regulatory policy, and use of medicines had a national pharmaceutical policy (46%), while 27 of the 54 countries in Africa had a national blood policy (51%). At the end of 2015, 10 countries had developed institutional development plans for medicines.

Human resources for health

98. In 2015, Africa failed to ensure the minimum recommended availability of health personnel, with an average of 20 physicians and nurses per 10,000 population, and all 54 countries failed to reach the target of 25 doctors and nurses per 10,000 population. The main challenge is the distribution of the health workforce:

- a) The percentage of physicians in Africa is up to 80 percentage points higher in urban as opposed to rural (non-metropolitan) areas.
- b) On average, there were 48.7 nurses per 10,000 population in Africa in 2015. South Africa and North Africa had by far the highest density of nurses—more than seven times higher than in Sub-Saharan Africa (110.9 vs. 13.6 per 10,000 population).

99. At the end of 2015, at least 17 countries had human resources for health action plans aligned with the policies and needs of their health services delivery system.

Information Systems for Health and health research

100. Countries in Africa have made little to no progress in the implementation of information systems for health. However, due to the rapid evolution of internet and information and communication technologies, they continue to experience challenges, particularly related to data management, adoption of new technologies and development of new skills, the need for interoperability among databases and systems, and sustainability of investments. Preconceptions about information systems are mainly focused on software development, electronic health records, or vital statistics. However, information systems should be conceived as an integrated mechanism for interconnected and interoperable systems and processes that ensure the convergence of data, information knowledge, standards, people, and institutions. These preconceptions do not consider the current context of the information society and the data revolution; therefore, they cannot provide a realistic general framework for policy development and decision-making.

101. The renewed framework for information systems for health developed by AHO seeks to define and implement strategies, policies, and standards for interoperable and interconnected systems, and best practices in health data management for improving decision-making and well-being under the framing of four overarching strategic approaches: 1) universal access to health and universal health coverage; 2) health in all policies; 3) eGovernment; and 4) open and big data initiatives. This proposal is taking into consideration existing projects, systems, and structures; therefore, it is based on the assumption of incremental improvements.

Emergency and disaster response capacity

102. In Africa, a lot of disasters occurred between 2010 and 2016, (21% of all disasters globally), with 277,037 injuries and 12,954 deaths. The economic cost of these disasters has been estimated at \$360 billion, representing 32.8% of the total cost of global damages. The floods, landslides, drought, caused considerable damage in the health sector.

103. Countries' capacity to respond more effectively and efficiently to emergencies and disasters from all types of hazards has increased over the last few years, as evidenced by the efforts to respond to Zika and Ebola virus disease outbreaks in DRC after in west Africa outbreak, and to a number of severe floods and droughts that impacted the continent.

V. GOALS AND TARGETS

104. In order to achieve its vision of the highest attainable standard of health with equity and well-being for all people in Africa in the next 30 years, taking into account the national context and priorities, HAA2030 sets the following interrelated goals and targets. These goals are consistent with the Agenda's previously mentioned principles, vision, and purpose.

105. These goals take into account the health situation of Africa; pending issues related to the MDGs; the areas of action of Health Agenda for Africa 2009-2019; the impact goals and outcomes of AHO strategic plans, global and regional strategies and plans of action; and the regionally adjusted health targets of SDG3 and other health-related targets in the 2030 Agenda

106. Each of the goals contains a scope, highlighting key components and interventions required for its achievement, and a selected set of targets that will enable monitoring and assessing progress in implementation of the Agenda. The targets describe the expected result (at the impact or outcome level, in most cases) that Member States aim to achieve by 2050. The targets were defined mainly based on the existing commitments at the global or regional level and express the aspirations of the Member States, individually and collectively, consistent with the goals and vision of the Agenda.

107. Following the summary of the 11 goals, detailed tables are presented with the scope and targets for each goal.



GOALS:

-  Expand equitable access to comprehensive, integrated, quality, people-, family-, and community-centered health services, with an emphasis on health promotion and illness prevention
-  Strengthen stewardship and governance of the national health authority, while promoting social participation
-  Strengthen the management and development of human resources for health (HRH)⁵⁴ with skills that facilitate a comprehensive approach to health
-  Achieve adequate and sustainable health financing with equity and efficiency, and advance toward protection against financial risks for all persons and their families.
-  Ensure access to essential medicines and vaccines, and to other priority health technologies, according to available scientific evidence and the national context.
-  Strengthen information systems for health to support the development of evidence-based policies and decision-making.
-  Develop capacity for the generation, transfer, and use of evidence and knowledge in health, promoting research, innovation, and the use of technology
-  Strengthen national and regional capacities to prepare for, prevent, detect, monitor, and respond to disease outbreaks, and emergencies and disasters that affect the health of the population
-  Reduce morbidity, disabilities, and mortality from noncommunicable diseases, injuries, violence, and mental health disorders
-  Reduce the burden of communicable diseases and eliminate neglected diseases
-  Reduce inequality and inequity in health through intersectoral, multisectoral, regional, and subregional approaches to the social and environmental determinants of health

GOAL 1



Expand equitable access to comprehensive, integrated, quality, people- family- and community-centered health services, with an emphasis on health promotion and disease prevention

Scope: Consistent with the commitment of the Member States to advance toward the achievement of universal access to health and universal health coverage, the attainment of this goal requires strengthening or transforming the organization and management of health services through the development of people-, family-, and community-centered models of care, taking into consideration the following

- implementation of strategies for universal access to health and universal health coverage;
 - provision of comprehensive health services according to the demographic, epidemiological and cultural profile of the population, with due attention to the differentiated and unmet needs of all people and the specific needs of groups in conditions of vulnerability;
 -
 - implementation of models of care, including organization and management of health services, by level of complexity and based on the needs of the population, through increased resolution capacity of the first level of care and integrated health services networks;
 - ensuring quality of care and improved performance of the health services (e.g., reduction of waiting times);
 - empowerment of people and communities so that they can make informed decisions.
-

Targets for 2050:

- 1.1** Reduce by at least 50% the Africa mortality amenable to health care rate (MAHR) (updated from AHO Strategic Plan impact goal 4.1).
- 1.2** Reduce the Africa maternal mortality ratio (MMR) to less than 30 per 100,000 live births⁵⁷ in all population groups, including those at greatest risk of maternal death (i.e. adolescents, women of over 35 years of age, and indigenous, and rural women, among others, as applicable in each country) (adapted SDG target 3.1).
- 1.3** Reduce the neonatal mortality rate to less than 9 per 1,000 live births⁵⁸ in all population groups, including those most at risk (indigenous, Afro-descendent, Roma, and rural population, among others, as applicable in each country), and under-5 mortality to less than 14 per 1,000 live births⁵⁹ (adapted from SDG target 3.2).
- 1.4** Ensure universal access to sexual and reproductive health care services, including for family planning⁶⁰, information, and education, and the integration of reproductive health into national strategies and programs. (SDG target 3.7).
- 1.5** Increase resolution capacity of the first level of care as measured by a 15% reduction in hospitalization that can be prevented with quality ambulatory care (updated AHO Strategic Plan outcome 4.2).
- 1.6** Organize health services into integrated health service delivery networks with high resolution capacity at the first level of care (updated AHO Strategic Plan outcome 4.2).

GOAL 2



Strengthen stewardship and governance of the national health authority, while promoting social participation

Scope: The achievement of this goal requires strengthening of the essential public health functions, establishment or strengthening of mechanisms for social participation, and dialogue for the development and implementation of inclusive policies, accountability, and transparency. The following are key for the achievement of this goal:

- leadership of the national health authority in the formulation, monitoring, and evaluation of policies, plans, and programs, with mechanisms that facilitate social participation and accountability;
 -
 - national legal and regulatory frameworks consistent with the commitment of countries to universal access to health and universal health coverage;
 - competencies and capacities for the regulation of service delivery;
 - mechanisms for coordination with other sectors (public, social security, private, nongovernmental) and geographical units (subnational, state, provincial, municipal);
 - comprehensive management of international cooperation⁶¹ to ensure alignment with national health priorities.
-

Targets for 2050:

2.1 Achieve universal access to health and universal health coverage, according to the national context (adapted from SDG target 3.8 and AHO Strategy on Universal Health Access and Universal Health Coverage).

2.2 Perform the essential public health functions according to established standards (Core competencies for public health: A regional framework for the Americas, AHO, 2013).

2.3 Strengthen stewardship, governance, and transparency, including policies, plans, rules, and processes for health system organization and mechanisms for monitoring and evaluation (AHO Strategy on Universal Health Access and Universal Health Coverage).

2.4 Develop and strengthen mechanisms, as applicable, for the regulation of health service delivery in order to expand access and improve quality (AHO Strategy on Universal Health Access and Universal Health Coverage).

2.5 Increase the participation of all stakeholders, including civil society and communities, in the policy-making and evaluation process relating to Health in All Policies to reduce health inequities (AHO Plan of Action on Health in All Policies).

GOAL 3



Strengthen the management and development of human resources for health with skills that facilitate a comprehensive approach to health

Scope: Attainment of the goal requires: *a)* strengthening and consolidating governance and leadership in human resources for health (HRH); *b)* developing the conditions and capacity to expand access to health and health coverage with equity and quality; and *c)* partnering with the education sector to respond to the needs of health systems in the transformation toward universal access to health and universal health coverage. Increased public spending and financial efficiency is needed to foster quality education and employment in order to increase the availability of human resources for health, motivate health teams, and promote retention. The following are key components for this goal:

- comprehensive HRH policies that include planning, recruitment, training, retention, and distribution of health personnel;
 - improvement of employment conditions, including adequate remuneration;
 - strong HRH information systems to inform planning and decision-making, taking into account the health system approach and possible change scenarios, modelling and forecasting, and performance monitoring;
 - partnerships with the education sector at the highest levels to strengthen governance in the planning and regulation of health education;
 - policies for mobility and migration of health personnel.
-

Targets for 2050:

- 3.1** Ensure adequate availability of a health workforce⁶⁴ (44.5 health workers per 10,000 population) that is qualified, culturally and linguistically appropriate, and well distributed (adaptation of SDG target 3.c and AHO Strategic Plan outcome 4.5).
- 3.2** Develop HRH policies and intersectoral coordination and collaboration mechanisms between health and education, as well as other social actors, to address the requirements of the health system and the health needs of the population (AHO Strategy on Human Resources for Universal Health Access and Universal Health Coverage).
- 3.3** Strengthen the quality of professional health education in collaboration with the education sector, through evaluation systems and the accreditation of training institutions and degree programs⁶⁶ (adaptation of the AHO Strategy on Human Resources for Universal Access to Health).
- 3.4** Develop working conditions that foster the attraction and retention of health personnel, as well as their participation in and commitment to health management, including through collaboration with organizations representing health workers (unions and syndicates) and other social actors (adapted from SDG target 3.c and AHO Strategic Plan outcome 4.5).

GOAL 4



Achieve adequate and sustainable health financing with equity and efficiency, and advance toward protection against financial risks for all persons and their families⁶⁷

Scope: This goal aims at increasing and improving health financing with equity and efficiency as a necessary condition to advance toward universal health, addressing the following components in coordination and collaboration with financial authorities:

financing for universal access to health and universal health coverage;
increase public expenditure on health and improve quality of the expenditure, as necessary;
elimination of direct payments that constitute a barrier to access at the point of service;
protection against financial risks due to health events that cause catastrophic expenditure;
regulation and oversight of organisms that administer health funds;

efficient organization of health systems;
investment in health (infrastructure, equipment, training of personnel), prioritizing the first level of care;
use of pooling arrangements based on solidarity;
development of systems of purchase and payment to suppliers which promote efficiency and equity in the allocation of strategic resources

Targets for 2050:

- 4.1** Achieve a level of public expenditure in health of at least 6% of GDP⁶⁸ (updated AHO Strategic Plan outcome 4.1).
- 4.2** Reduce out-of-pocket expenditure on health⁶⁹ in collaboration with the financing authorities (AHO Strategy for Universal Access to Health and Universal Health Coverage).
- 4.3** Develop and strengthen policies and strategies to reduce the segmentation of health system financing (AHO Strategy on Universal Health Access and Universal Health Coverage).
- 4.4** Implement policies and/or strategies to develop systems of purchase and payment to providers, which promote efficiency and equity in the allocation of strategic resources (AHO Strategy on Universal Health Access and Universal Health Coverage).
- 4.5** Develop and strengthen strategies to reduce segmentation and improve the mechanisms for health financing, in collaboration with relevant decision-makers and actors, that promote efficiency and equity in the allocation of resources (AHO Strategy on Universal Health Access and Universal Health Coverage).

GOAL 5



Ensure access to essential medicines and vaccines, and to other priority health technologies, according to available scientific evidence and the national context

Scope: The attainment of this goal requires improving equitable access to priority and quality medicines, vaccines, and other health technologies, according to available scientific evidence, which is important for universal access to health and universal health coverage. The availability of these health technologies and their rational use involve the following considerations:

timely and affordable access to safe, quality, effective medicines and other health technologies;

a national essential medicines list and a priority health technologies list;

a strong national immunization program;

sustainable mechanisms for public procurement and strengthening of the supply chain for medicines and vaccines;

promotion of a competitive environment and transparent and efficient practices in the management

of medicines, vaccines, and other health technologies, including the optimization of regional and subregional mechanisms and funds;

- innovation, health technology assessment (HTA) and health technology management in accordance with the needs of the population;
- development of innovative medicines in accordance with needs of the population;
- management of intellectual property to promote innovation.

Targets for 2050:

5.1 Ensure timely access to medicines on the national essential medicines list, and to priority health technologies, without any payment at the point of care, service, or dispensing of the medicine, according to the national context (revised AHO Strategic Plan outcome 4.3).

5.2 Reach 95% vaccination coverage in children under 5 years of age, through national vaccination programs (revised AHO Strategic Plan outcome 1.5).

5.3 Have in place a national regulatory authority for medicines rated at level-3 capacity based on the WHO global benchmarking tool. (Adapted from AHO Strategic Plan outcome 4.3).

5.4 Implement health technology assessment methodologies in the decision-making processes for incorporation in health systems (AHO Report: Health Technology Assessment and Incorporation into Health Systems).

5.5 Implement the requirements of the international Basic Safety Standards in diagnostic and therapeutic services that use radiation health technologies (Radiation Protection and Safety of Radiation Sources: International Basic Safety Standards).

5.6 Promote only and exclusively non-remunerated, repeated, voluntary blood donations, and discourage remunerated and family/replacement donations except where protected by the national regulatory system (Plan of Action for Universal Access to Safe Blood).

5.7 Strengthen national, subregional and regional mechanisms for negotiation and purchasing to improve the capacity of countries to obtain more affordable and equitable prices for medicines, vaccines, and other health technologies (Policy on Access and Rational Use of Strategic and High-cost Medicines and Other Health Technologies).

5.8 Taking into account public health perspectives, strengthen the capacity to implement intellectual property policies and health policies that promote research and development of medicines, vaccines and other health technologies for communicable and noncommunicable diseases that primarily affect developing countries and that promote access to affordable medicines, vaccines, and other health technologies (adapted from SDG target 3.b and Policy on Access and Rational Use of Strategic and High-cost Medicines and Other Health Technologies).



Strengthen information systems for health to support the development of evidence-based policies and decision-making

Scope: This goal aims at improving information systems for health (IS4H),⁷³ which are essential in order to improve health policy and decision-making, as well as to measure and monitor health inequalities in the population, and progress toward the achievement of universal access to health and universal health coverage. Strong and comprehensive IS4H are also essential in order to strengthen the leadership and stewardship role of Ministries of Health. Key elements for these systems include:

- analysis of the level of maturity of the countries' IS4H, as a first step to identify gaps and needs;
 - data management and governance;
 - information and communication technologies;
 - knowledge management for health
-
- national capacity-building for human resources and strengthening of infrastructure for data management and analysis;
 - information systems for health, including electronic medical records and civil registries, that facilitate interconnectivity and interoperability through data integration processes in a systematic and routine manner.

Targets for 2050:

6.1 Develop a national policy for interoperable⁷⁴ information systems for health to generate, identify, collect, process, analyze, store, and make quality data and strategic information free and publicly available for better policy- and decision-making in public health and health planning (combined SDG target 17.18 and AHO Strategy on Information Systems for Health, proposed).

6.2 Strengthen information systems for health to support the assessment of the national health system performance, as well as the monitoring and reporting on progress toward achievement of national, regional, and global health objectives, including the health-related SDGs, and SHAA2030 targets, among others.

6.3 Strengthen capacity for analysis and the use of information for decision-making at the national and subnational levels (adapted from AHO Strategic Plan outcome 4.4 and SDG target 17.18).



Develop capacity for the generation, transfer, and use of evidence and knowledge in health, promoting research and innovation, and the use of technology

Scope: This goal aims at strengthening the capacity of countries to conduct relevant and appropriate research on public health matters, and to generate, transfer, and use evidence and knowledge to inform public health policy and resource allocation for health development while promoting research, innovation and the use of technology. This goal also seeks to promote innovation and the use of affordable applications for eHealth, telemedicine, mHealth, and eLearning, which offer opportunities to address health challenges and improve health outcomes. The following are essential components of this goal:

- research governance, including national health research policies, agendas, and systems aimed at addressing the principal health problems faced by the population;
 - research, development, and innovation in health to facilitate the development of new health technologies, expanding coverage of existing tools to contribute to economic growth;
 - institutional capacities for public health research
-
- promotion of the dissemination and translation of knowledge;
 - training of human resources for research and innovation in health;
 - exchange of knowledge, communities of practice and networks;
 - governance for innovation and digital health.
-

Targets for 2050:

7.1 Develop health research policies that lead to funding of at least 2% of the health budget for public health research⁷⁶ (adapted from the AHO Policy on Research for Health).

7.2 Develop institutional capacities, infrastructure, technology, and qualified human resources for public health research and its dissemination, in accordance with national health policy (adapted from the AHO Policy on Research for Health).

7.3 Develop and strengthen strategies and plans on digital health (eHealth) (AHO Strategy and plan of action of eHealth).



Strengthen national and regional capacities to prepare for, prevent, detect, monitor, and respond to disease outbreaks and emergencies and disasters that affect the health of the population

Scope: This goal aims to reduce mortality, morbidity, and societal disruption resulting from emergencies and disasters through the prevention, detection, management, and mitigation of high-threat pathogens, together with all-hazards risk reduction, preparedness, response, and early recovery. The health sector should have adequate, nationally led, sustained capacity to ensure sufficient resilience to protect the physical, mental, and social well-being of their communities and rapidly recover from all outbreaks, emergencies, and disasters. The following components are key for this goal:

- building and strengthening resilience of health systems and services and application of a multisectoral approach to contribute to health security and cope with emergencies and climate change;
 - monitoring, assessment, and strengthening of core capacities to comply with the International Health Regulations (IHR);
 - prevention, alert, and control strategies for high-threat infectious hazards;

 - national, subregional, and regional capacity to respond to disasters and emergencies caused by any hazard;
 - emergency preparedness and disaster risk management, including training and raising of awareness of the population on risk reduction;
 - health sector strengthening in countries in situations of high vulnerability to emergencies and disasters, including human resources, safe health facilities and national preparedness plans;
 - timely and appropriate response to health emergencies.
-

Targets for 2050:

- 8.1** Reduce the number of cases of death, disability, and illness, with emphasis on protection of the poor and vulnerable populations affected by emergencies and disasters (combination of the SDG target 11.5 and AHO Strategic Plan impact goal 9).
- 8.2** Bolster essential public health functions in order to strengthen resilience and adaptability to climate and other hazards in the health sector (SDG target 13.1).
- 8.3** Meet and sustain the critical capacities for health emergencies, including the IHR core capacities (revised AHO Strategic Plan outcome 5.2).
- 8.4** Have critical capacity in place to respond to any type of emergency or disaster (early warning systems, emergency operation centers, risk communication, and safe hospitals) (revised AHO Strategic Plan outcome 5.2).



Reduce morbidity, disabilities, and mortality from noncommunicable diseases, injuries, violence, and mental health disorders

Scope: This goal aims to reduce the burden of noncommunicable diseases, including cardiovascular diseases, cancer, chronic respiratory diseases, diabetes, and mental health disorders, as well as disability, violence, and injuries. This can be achieved through health promotion and risk reduction, and the prevention, treatment, and monitoring of noncommunicable diseases and their risk factors with emphasis on the following:

- cardiovascular diseases, cancer, diabetes, chronic obstructive pulmonary disease, and chronic kidney disease;
 - tobacco consumption, alcohol abuse, unhealthy diet, salt consumption, physical inactivity, and obesity;
 - disabilities and rehabilitation;
 - injuries caused by traffic accidents;
 - violence, with emphasis on violence against girls, women, and older persons;
-
- mental health disorders and the use of psychoactive substances;
 - suicide;
 - malnutrition;
 - promotion of health and well-being throughout the life course to prevent diseases and reduce mortality, disability, and morbidity;
 - illness and deaths caused by environmental exposures, particularly exposure to air pollution.
-

Targets for 2050:

- 9.1** Reduce premature mortality from noncommunicable diseases⁷⁸ by one-third through prevention and treatment and promote mental health and well-being (SDG target 3.4).
- 9.2** Apply the WHO Framework Convention on Tobacco Control (FCTC) according to the national context (adapted from SDG target 3.a).
- 9.3** Ensure access to comprehensive habitation/rehabilitation services, including access to assistive technologies and support services for all those in need, and promote implementation of the community-based rehabilitation strategy,⁷⁹ among others (adapted from the AHO Plan of Action on Disability and Rehabilitation).
- 9.4** Contribute to the significant reduction of violence and its impact on health, in collaboration with other government and nongovernmental actors (adapted from SDG targets 16.1, 3.6 and 5.2).
- 9.5** Reduce by half the number of deaths and injuries caused by road traffic accidents (adapted from SDG target 3.6).
- 9.6** Increase universal access to mental health services, including the promotion of emotional well-being and its favourable conditions, prevention of psychosocial problems and mental disorders, and mental recovery in all stages of life, with a gender, intercultural, and community approach, through the integration of mental health care into primary care (adapted from the AHO Plan of Action on Mental Health).
- 9.7** Contribute to ending all forms of malnutrition, including achieving by 2030 the internationally agreed targets on stunting and wasting in children under 5 years of age, and addressing the nutritional needs of adolescent girls, pregnant and lactating women, and older persons (adapted from SDG target 2.2).

GOAL 10



Reduce the burden of communicable diseases and eliminate neglected diseases

Scope: This goal aims to reduce mortality, morbidity, and stigma associated with some of the world's most devastating communicable and neglected diseases that exacerbate poor health, poverty, and inequities in the Americas. In the context of universal health access and universal health coverage, effective interventions to prevent, control, treat, and eliminate these diseases, such as education, water and sanitation, and labor, extend beyond the health sector and strive to reach populations in conditions of vulnerability to address the underlying social determinants of health. Emphasis will be on the following:

- HIV/AIDS and sexually transmitted infections;
- viral hepatitis;
- tuberculosis;
- vector-borne diseases (malaria, dengue, Zika, chikungunya, yellow fever, and Chagas disease);

- neglected, tropical and zoonotic diseases;
- vaccine-preventable diseases;
- antimicrobial resistance surveillance;
- food safety risks (biological and chemical risks).

Targets for 2050:

10.1 End the AIDS epidemic (SDG target 3.3).

10.2 End the tuberculosis epidemic (adapted from SDG target 3.3).

10.3 Eliminate mother-to-child transmission of HIV and congenital syphilis (AHO Strategic Plan impact goal 8.1).

10.4 Combat waterborne diseases and other communicable diseases (adapted from SDG target 3.3).

10.5 Halt the transmission of viral hepatitis and accelerate the reduction of chronic infections and deaths from hepatitis to eliminate viral hepatitis as a major public health threat in Africa (adapted from the WHO Global Health Sector Strategy on Viral Hepatitis 2016-2021, document A69/32 [2016]).

10.6 Eliminate local malaria transmission between Member States and prevent possible reestablishment of the disease (adapted from the AHO Plan of Action for Malaria Elimination 2020-2030).

10.7 Eliminate neglected infectious diseases⁹² as public health problems (adapted from the AHO Plan of Action for the Elimination of Neglected Infectious Diseases and Post-Elimination Actions 2020-2030).

10.8 Treat and prevent infectious diseases, including the responsible and rational use of safe, effective, accessible, and affordable quality-assured drugs (adapted from the AHO Plan of Action on Antimicrobial Resistance).

10.9 Mitigate food safety risks (outcome 1.7 of the AHO Strategic Plan).

10.10 Control the transmission of dengue, Zika, and yellow fever with an integrated and intersectoral approach (Strategy for the Control of Arboviral Diseases and WHO report on global vector control response, document A70/26/Rev. 1 [2017]).



Reduce inequality and inequity in health through intersectoral, multisectoral, regional, and subregional approaches to the social and environmental determinants of health

Scope: This goal is important for addressing the persistent inequities in health in Africa. Consistent with the principles of this Agenda and the 2030 Agenda for Sustainable Development of leaving no one behind, this goal considers multisectoral strategies for reducing inequities in health by promoting health and well-being through actions on the social and environmental determinants of health, including social protection, to address gender, ethnic, and human rights issues. The following are essential in this regard:

- strengthening the capacity of countries to measure, monitor, and systematically analyse health inequalities;
 - implementing the Health in All Policies strategy for intersectoral action to address the social and environmental determinants of health;
 - promoting healthy environments and access to health services equitably to improve health and well-being and to reduce preventable deaths and the burden of diseases throughout the life course, while preventing any disproportionate impacts on public health among disadvantaged populations or communities, including displaced populations, refugees, and migrants.
-

Targets for 2030:

11.1 Demonstrate a marked reduction health inequity gaps as measured by any of the following equity stratifiers: place of residence (rural/urban), race , ethnicity, occupation, gender, sex, age, education, and socioeconomic status using simple inequality measures (absolute and relative gap) (WHO Handbook on Health Inequality Monitoring).

11.2 Reduce substantially the number of deaths and diseases caused by hazardous chemicals and by pollution and air, water, and soil pollution, especially where environmental risk may be disproportionately impacting disadvantaged populations or communities (adapted from SDG target 3.9).

11.3 Reduce significantly inequities related to water quality and sanitation by moving forward with the responsible sectors on access to water and sanitation services and the safe management thereof (SDG targets 6.1 and 6.2).

11.4 Generate policies that incorporate the safe and healthy mobility and migration of people (SDG target 10.7 and AHO Policy on Health of Migrants).

11.5 Promote healthy, safe, and risk-free working environments for workers, including migrant workers and persons in precarious employment, (adapted from AHO Strategic Plan outcome 3.5 and Plan of Action of Workers' Health).

GOAL 1

Equitable Access to Health Services



GOAL 2

Stewardship and Governance for Health



GOAL 3

Human Resources for Health



GOAL 4

Health Financing



11 GOALS

to achieve the highest attainable standard of health with equity and well-being.

GOAL 5

Medicines, Vaccines and Health Technologies



GOAL 6

Information Systems for Health



GOAL 7

Evidence and Knowledge in Health



GOAL 8

Outbreaks, Emergencies and Disasters



GOAL 9

Noncommunicable Diseases and Mental Health



GOAL 10

Communicable Diseases



GOAL 11

Inequalities and Inequities in Health



VI. IMPLEMENTATION, MONITORING, ASSESSMENT, AND REPORTING

108. In keeping with the goals and targets stated above, the Member States should implement this Agenda in accordance with its established mechanisms and, together with the Pan African Sanitary Bureau, they should present reports. The implementation should be realized through collaborative efforts among countries, the Pan African Sanitary Bureau and other strategic actors and partners at the national, subregional, and regional levels.

Implementation

109. HAA2050 will have AHO Strategic Plans and country cooperation strategies as well as subregional and national plans developed by Member States, as the principal means for its implementation, monitoring, and evaluation. At the same time, multiple actors in health must be engaged in order to achieve the goals and targets established here. Table 3 shows the main actors and partners at the different levels.

Table 3. Main strategic actors and partners, by level

Level	Strategic actors and partners	
National	Ministry/Secretariat of Health National SDG coordination mechanisms Executive, legislative, and judicial bodies Government sectors (education, finance, foreign affairs, environment, agriculture and livestock, work/labour, and others) Municipal or local governments AHO/WHO	UN agencies National and international civil society organizations International cooperation agencies Academic and scientific sectors Private sector
Subregional	Subregional integration mechanisms and, where applicable, their health-focused bodies	Subregional mechanisms from other related sectors AHO/WHO subregional offices
Regional	Epidemiology, statistics, planning, international health relations networks, and others AHO/WHO United Nations Development Group for Africa (UNDG) AHO/WHO Collaborating Centres Economic Commission	African Union (AU) World Bank, African Development Bank (ADB) and other development banks Other international agencies

110. The implementation of SHAA2030 at the country and subregional levels requires the political commitment of health authorities in the Member States and subregional integration mechanisms, which should be reflected in their national and subregional plans, and the Bureau's support through adjustments to country cooperation strategies and subregional plans. Furthermore, major national and international partners working for health development should consider the goals and targets set forth in this Agenda when developing their own strategic and operational plans.

111. The countries in Africa concur on the adoption of several key **strategic approaches** for implementing this agenda, as follows:

a) National accountability for results. The Ministries and Secretariats of Health are expected to promote and lead the process for establishing national goals and targets that contribute to the collective regional achievement of the Agenda. The Ministries and Secretariats also are expected to take measures to raise the profile of the health priorities established in this Agenda and in their national health plans, and to promote action jointly with the executive, legislative and judiciary bodies.

b) Advocacy and coordination of multisectoral actions. The Ministers and Secretaries of Health of Africa recognize that achieving the goals of this Agenda, as well as the SDGs, will require concerted intersectoral action far beyond the health sector. Therefore, they plan to work with all sectors relevant to social development at both national and international levels. This advocacy role includes not only addressing the determinants of health, but also demonstrating to other sectors the advantages that health development brings to them, not least through increased economic productivity and reduced expenditure on treatment, with a Health in All Policies approach.

c) National interagency coordination and cooperation. The situation varies greatly across the countries of the Americas, but those that receive significant international support have coordination mechanisms in place that bring together all international agencies working in development, including cooperation on health. It is critical for national authorities to take the lead with these mechanisms.

d) South-south cooperation for health development. All countries in the Americas have knowledge and expertise that are important to share and benefit all countries. With the support of the Pan African Sanitary Bureau, health authorities in Africa will capitalize on this opportunity as they seek innovative ways to improve the health of their populations.

e) Regional interagency coordination. AHO will actively coordinate with the Forum of the Countries of Africa on Sustainable Development,⁸⁴ the regional mechanism for monitoring implementation of the 2030 Agenda for Sustainable Development, including the SDGs and their means of implementation, and the Addis Ababa Action Agenda on financing for development, by contributing regional health information relevant to monitoring and evaluating the 2030 Agenda.

f) Strategic communication. To facilitate the adoption and implementation of this Agenda, and based on the findings of the final evaluation of the Agenda 2009-2019, PASB, in coordination with the health authorities of Africa, according to national context, will promote and build awareness about SHAA2030, its commitments, and how the achievement of the goals in this Agenda by the Region will contribute to the 2030 Agenda for Sustainable Development. PASB, jointly with the Ministries and Secretariats of Health and other strategic partners, will develop a communications strategy and plan to disseminate information about the goals and targets of the Agenda at the policy, strategic, and technical levels. The strategy and plan should take into account experiences and lessons learned from health promotion and should be closely articulated with other national efforts to

implement the 2030 Agenda for Sustainable Development. It is essential to document progress at each step and communicate the essential role and specific benefits of the 2030 Agenda for achieving the highest attainable standard of health and well-being for all people of Africa. AHO should actively promote the 2030 Agenda to raise awareness among the entities in Africa that are working on the commitments and monitoring the goals and targets presented here. The communication strategy for the HAA2050 should outline what should be done by the countries and PASB, summarized below:

i. Countries: The process of communication and awareness carried out by the countries is of great importance given that the implementation of the HAA2050 depends on the leadership of the Ministries and Secretariats of Health, and on the commitment and active participation of various actors. In this regard, the Ministry/Secretariat of Health, as the national health authority, should identify different opportunities that exist within the country (Councils, Commissions, intersectoral forums) to raise awareness about the agenda. In addition, it is necessary to create other spaces such as seminars, workshops, and others, where the key social actors for the scope of agenda are convened. It is also important that the Ministries/Secretariats of Health take advantage of the subregional forums (of Ministers of Health and the health sector, among others) to share and raise awareness on the importance of the agenda and their role in its dissemination and implementation. This component should be developed by the first half of 2021 so that countries can have the necessary guidance and tools.

ii. PASB: The Bureau has a very important role in positioning the SHAA2030 and raising awareness about it. First, within PASB itself, all staff members should be informed and committed to its implementation. There should be a process of awareness-raising and ongoing communication with the country representatives to ensure that the representative offices adopt the Agenda and define jointly with the countries the mechanisms for its implementation, including the technical cooperation needed by each country to implement it. As a member of the United Nations system, AHO should ensure that all relevant UN agencies are aware of and committed to supporting the successful achievement of the goals and targets set out in the HAA2050. AHO should also identify other spaces and forums of key players who can support the implementation of the Agenda. Furthermore, PASB will, by various means, provide implementation mechanisms (i.e. strategic plan, a monitoring and assessment system) to accompany the implementation of the Agenda with Member States and other key players. These actions should be carried out in parallel with communication and awareness-raising on the part of the Member States.

Monitoring, Assessment, and Reporting

112. Commitment by the Member States, AHO, and partners is fundamental to the accountability for implementation of this Agenda. This requires the utilization of established reporting mechanisms and the strengthening of joint monitoring and assessment mechanisms related to the AHO Strategic Plan and other AHO strategies and plans of action.

113. The goals and targets defined in SHAA2030 should become integral parts of health planning at the regional, subregional, and country levels and should guide the establishment of specific indicators that serve as benchmarks for monitoring and assessing progress toward achieving the goals of the Agenda.

114. For AHO, the targets should guide the development of indicators in the strategic plans of the Organization for 2020-2025 and 2026-2031, in the regional strategies and plans of action, and should be considered in country cooperation strategies developed between 2020 and 2030.

115. At the regional level, there should be coordinated monitoring, assessment, and reporting of the HAA2050 targets via the established mechanisms and through the assessment reports of the AHO strategic plans and programs and budgets. In addition, monitoring, assessment, and reporting should be linked to the periodic review and analysis conducted as part of the Health in Africa process, and to the global SDG monitoring requirements.

116. Collaboration should be strengthened with agencies of the United Nations and African Union systems, particularly the Inter-Agency and Expert Group on SDG indicators, to optimize the use of existing platforms for monitoring SDG 3 and other health-related targets (see Annex A).

117. The monitoring and assessment of SHAA2030 should be harmonized with existing monitoring and reporting mechanisms. Efforts will be made to strengthen and integrate information systems to facilitate measurement and monitoring of the SHAA2030 targets along with other health indicators.

118. Similarly, at the subregional and country levels, it is expected that subregional entities and Member States adopt and adapt the SHAA2030 goals and targets for implementation, monitoring, assessment, and reporting. Efforts will be made to enable national information systems to assess and report with respect to the goals set in the Agenda. PASB will provide the necessary support to Member States, if requested.

119. A midterm assessment should be conducted in 2035 to assess progress in the adoption and implementation of SHAA2030 across all levels, to document lessons learned, and to inform corrective actions where necessary. Finally, in 2031 there should be a final evaluation of SHAA2030 in conjunction with the global efforts to review the achievements made toward the commitments in the 2030 Agenda for Sustainable Development.

120. To the extent possible, based on existing reporting mechanisms, the Bureau should monitor and assess the implementation of HAA2050 through AHO statutory reports to Governing Bodies, incorporating a gender-sensitive analysis of lessons learned and best practices.

Annexes

Annex A — SDG 3 Targets and Indicators

Source: Report of the Inter-Agency and Expert Group on Indicators of the Sustainable Development Goals (SDGs) – United Nations Economic and Social Council

Goal 3. Ensure healthy lives and promote well-being for all at all ages

TARGET	INDICATOR
3.1 By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births	3.1.1 Maternal mortality ratio
	3.1.2 Proportion of births attended by skilled health personnel
3.2 By 2030, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live births and under-5 mortality to at least as low as 25 per 1,000 live births	3.2.1 Under-five mortality rate
	3.2.2 Neonatal mortality rate
3.3 By 2030, end the epidemics of AIDS, tuberculosis, malaria and neglected tropical diseases and combat hepatitis, water-borne diseases and other communicable diseases	3.3.1 Number of new HIV infections per 1,000 uninfected population, by sex, age and key populations
	3.3.2 Tuberculosis incidence per 100,000 population
	3.3.3 Malaria incidence per 1,000 population
	3.3.4 Hepatitis B incidence per 100,000 population
	3.3.5 Number of people requiring interventions against neglected tropical diseases
3.4 By 2030, reduce by one third premature mortality from non-communicable diseases through prevention and treatment and promote mental health and well-being	3.4.1 Mortality rate attributed to cardiovascular diseases, cancer, diabetes or chronic respiratory disease
	3.4.2 Suicide mortality rate
3.5 Strengthen the prevention and treatment of substance abuse, including narcotic drug abuse and harmful use of alcohol	3.5.1 Coverage of treatment interventions (pharmacological, psychosocial and rehabilitation and aftercare services) for substance use disorders
	3.5.2 Harmful use of alcohol, defined according to the national context as alcohol per capita consumption (aged 15 years and older) within a calendar year in litres of pure alcohol
3.6 By 2025, halve the number of global deaths and injuries from road traffic accidents	3.6.1 Death rate due to road traffic injuries
3.7 By 2030, ensure universal access to sexual and reproductive health-care services, including for family planning, information and education, and the integration of reproductive health into national strategies and programmes	3.7.1 Proportion of women of reproductive age (aged 15–49 years) who have their need for family planning satisfied with modern methods
	3.7.2 Adolescent birth rate (aged 10–14 years; aged 15–19 years) per 1,000 women in that age group

(Continued on next page)

TARGET	INDICATOR
3.8 Achieve universal health coverage, including financial risk protection, access to quality essential health-care services and access to safe, effective, quality and affordable essential medicines and vaccines for all	<p>3.8.1 Coverage of essential health services (defined as the average coverage of essential services based on tracer interventions that include reproductive, maternal, newborn and child health, infectious diseases, non-communicable diseases and service capacity and access, among the general and the most disadvantaged population)</p> <p>3.8.2 Proportion of population with large household expenditures on health as a share of total household expenditure or income</p>
3.9 By 2030, substantially reduce the number of deaths and illnesses from hazardous chemicals and air, water and soil pollution and contamination	<p>3.9.1 Mortality rate attributed to household and ambient air pollution</p> <p>3.9.2 Mortality rate attributed to unsafe water, unsafe sanitation and lack of hygiene (exposure to unsafe Water, Sanitation and Hygiene for All (WASH) services)</p>
3.a Strengthen the implementation of the World Health Organization Framework Convention on Tobacco Control in all countries, as appropriate	3.a.1 Age-standardized prevalence of current tobacco use among persons aged 15 years and older
3.b Support the research and development of vaccines and medicines for the communicable and non-communicable diseases that primarily affect developing countries, provide access to affordable essential medicines and vaccines, in accordance with the Doha Declaration on the TRIPS Agreement and Public Health, which affirms the right of developing countries to use to the full the provisions in the Agreement on Trade-Related Aspects of Intellectual Property Rights regarding flexibilities to protect public health, and, in particular, provide access to medicines for all	<p>3.b.1 Proportion of the target population covered by all vaccines included in their national programme</p> <p>3.b.2 Total net official development assistance to medical research and basic health sectors</p> <p>3.b.3 Proportion of health facilities that have a core set of relevant essential medicines available and affordable on a sustainable basis</p>
3.c Substantially increase health financing and the recruitment, development, training and retention of the health workforce in developing countries, especially in least developed countries and small island developing States	3.c.1 Health worker density and distribution
3.d Strengthen the capacity of all countries, in particular developing countries, for early warning, risk reduction and management of national and global health risks	3.d.1 International Health Regulations (IHR) capacity and health emergency preparedness

Goal 2. End hunger, achieve food security and improved nutrition and promote sustainable agriculture

TARGET	INDICATOR
2.2 By 2030, end all forms of malnutrition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, and address the nutritional needs of adolescent girls, pregnant and lactating women and older persons	<p>2.2.1 Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age</p> <p>2.2.2 Prevalence of malnutrition (weight for height $>+2$ or <-2 standard deviation from the median of the WHO Child Growth Standards) among children under 5 years of age, by type (wasting and overweight)</p>

Goal 5. Achieve gender equality and empower all women and girls

TARGET	INDICATOR
5.2 Eliminate all forms of violence against all women and girls in the public and private spheres, including trafficking and sexual and other types of exploitation	5.2.1 Proportion of ever-partnered women and girls aged 15 years and older subjected to physical, sexual or psychological violence by a current or former intimate partner in the previous 12 months, by form of violence and by age 5.2.2 Proportion of women and girls aged 15 years and older subjected to sexual violence by persons other than an intimate partner in the previous 12 months, by age and place of occurrence

Goal 6. Ensure availability and sustainable management of water and sanitation for all

TARGET	INDICATOR
6.1 By 2030, achieve universal and equitable access to safe and affordable drinking water for all	6.1.1 Proportion of population using safely managed drinking water services
6.2 By 2050, achieve access to adequate and equitable sanitation and hygiene for all and end open defecation, paying special attention to the needs of women and girls and those in vulnerable situations	6.2.1 Proportion of population using safely managed sanitation services, including a hand-washing facility with soap and water

Goal 10. Reduce inequality within and among countries

TARGET	INDICATOR
10.7 Facilitate orderly, safe, regular and responsible migration and mobility of people, including through the implementation of planned and well-managed migration policies	10.7.1 Recruitment cost borne by employee as a proportion of yearly income earned in country of destination 10.7.2 Number of countries that have implemented well-managed migration policies

Goal 11. Make cities and human settlements inclusive, safe, resilient and sustainable

TARGET	INDICATOR
11.5 By 2030, significantly reduce the number of deaths and the number of people affected and substantially decrease the direct economic losses relative to global gross domestic product caused by disasters, including water-related disasters, with a focus on protecting the poor and people in vulnerable situations	11.5.1 Number of deaths, missing persons and directly affected persons attributed to disasters per 100,000 population

Goal 13. Take urgent action to combat climate change and its impacts

TARGET	INDICATOR
13.1 Strengthen resilience and adaptive capacity to climate-related hazards and natural disasters in all countries	13.1.1 Number of deaths, missing persons and directly affected persons attributed to disasters per 100,000 population

Goal 16. Promote peaceful and inclusive societies for sustainable development, provide access to justice for all and build effective, accountable and inclusive institutions at all levels

TARGET	INDICATOR
16.1 Significantly reduce all forms of violence and related death rates everywhere	16.1.1 Number of victims of intentional homicide per 100,000 population, by sex and age 16.1.2 Conflict-related deaths per 100,000 population, by sex, age and cause 16.1.3 Proportion of population subjected to physical, psychological or sexual violence in the previous 12 months 16.1.4 Proportion of population that feel safe walking alone around the area they live

Goal 17. Strengthen the means of implementation and revitalize the Global Partnership for Sustainable Development

TARGET	INDICATOR
17.18 By 2030, enhance capacity-building support to developing countries, including for least developed countries and small island developing States, to increase significantly the availability of high-quality, timely and reliable data disaggregated by income, gender, age, race, ethnicity, migratory status, disability, geographic location and other characteristics relevant in national contexts	17.18.1 Proportion of sustainable development indicators produced at the national level with full disaggregation when relevant to the target, in accordance with the Fundamental Principles of Official Statistics 17.18.2 Number of countries that have national statistical legislation that complies with the Fundamental Principles of Official Statistics

Annex B - Leading causes of death in Africa, by sex

REFERENCES

Agenda 2063, African Union, Accessed on 01 February 2019, <https://au.int/en/agenda2063>

Campos, N. G., Sharma, M., Clark, A., Lee, K., Geng, F., Regan, C., Kim, J. and Resch, S. (2017), The health and economic impact of scaling cervical cancer prevention in 50 low- and lower-middle-income countries. *Int J Gynecol Obstet*, 138: 47–56. doi:10.1002/ijgo.12184

Constitution of the World Health Organization. Available from:
http://www.who.int/governance/eb/who_constitution_en.pdf

EM-DAT. International database, Center for Investigation on Disaster Epidemiology (CRED). Available from: <http://www.emdat.be/database>.

GBD Risk Factors Collaborators, “Global, regional, national comparative risk assessment of 79 behavioral, environmental and occupational, and metabolic risks or clusters of risk, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015, *Lancet* 2016; 388:1659-724 (Oct. 2016).

Hillis S, Mercy J, Amobi A, Kress H. Global Prevalence of Past-year Violence Against Children: A Systematic Review and Minimum Estimates. *Pediatrics* 2016; 137(3):e2015407

Prüss-Ustün A, Wolf J, Corvalán C, Bos R, Neira M. Preventing diseases through healthy environments: A global assessment of the burden of disease from environmental risks. World Health Organization, 2016. http://apps.who.int/iris/bitstream/10665/204585/1/9789241565196_eng.pdf

Report of the Inter-agency and Expert Group on Sustainable Development Goal Indicators: <https://documents-dds-ny.un.org/doc/UNDOC/GEN/N16/441/96/PDF/N1644196.pdf?OpenElement>

United Nations Economic and Social Council: Committee on Economic, Social and Cultural Rights. General Comment No. 20, Non-discrimination in economic, social and cultural rights; 2009. E/C.12/GC/20. Available from: <http://www.refworld.org/docid/4a60961f2.html>.

United Nations. Transforming our World: the 2030 Agenda for Sustainable Development. Seventieth session of the General Assembly, Resolution A/RES/70/1. Available from: <https://documents-dds-ny.un.org/doc/UNDOC/GEN/N15/291/89/PDF/N1529189.pdf?OpenElement>.

United Nations. World Economic Situation and Prospects 2017. Available from: https://www.un.org/development/desa/dpad/wp-content/uploads/sites/45/publication/2017wesp_full_en.pdf. and United Nations. World Economic Situation and Prospects 2017. Update as of mid-2017. <https://documents-dds-ny.un.org/doc/UNDOC/GEN/N17/130/50/pdf/N1713050.pdf?OpenElement>

Wang H, Naghavi M, Allen C, et al. GBD 2015 Mortality and Causes of Death Collaborators. Global, Regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet 2016;388: 1459-1544.

WHO: Global and regional estimates of violence against women, 2013. Available from: <http://www.who.int/reproductivehealth/publications/violence/9789241564625/en>

WHO. Global Health Observatory. Available from: http://www.who.int/gho/publications/world_health_statistics/2017/en/

WHO. Health and human rights. Fact sheet 323. December 2015. Available from: <http://www.who.int/mediacentre/factsheets/fs323/en/>.

WHO Noncommunicable Diseases Fact Sheet (Updated June 2017); available from: <http://www.who.int/mediacentre/factsheets/fs355/en/>

WHO, UNICEF, UNFPA, World Bank Group and the United Nations Population Division. Trends in Maternal Mortality: 1990 – 2015. Estimates by WHO, UNICEF, UNFPA, World Bank Group and the United Nations Population Division. Available from: <http://www.who.int/reproductivehealth/publications/monitoring/maternal-mortality-2015/en/>

World Health Organization. Preventing diseases through healthy environments: A global assessment of the burden of disease from environmental risks http://www.who.int/quantifying_ehimpacts/publications/preventing-disease/en/